

COLOR | SASSY SALMON | LIPSTICK | CC-LIP-023-09 | STICK

| Phase | Tradename | INCI (EU) | Supplier | % |
|-------|--|---|------------------------|--------|
| A | KahlWax 2227Megaveggie | Oryza Sativa Bran Cera, Hydrogenated Coconut Oil, Hydroxystearic Acid | Kahl | 9.20 |
| | KahlWax 6607WOA Sunflower | Helianthus Annuus Seed Cera | Kahl | 6.50 |
| | KahlWax 2442L Carnauba | Copernicia Cerifera Cera | Kahl | 2.80 |
| | Jojoba Oil | Simmondsia Chinensis Seed Oil | Henry Lamotte | 41.70 |
| | Meadowfoam Seed Oil | Limnanthes Alba Seed Oil | Natural Plant Products | 13.90 |
| | Castor Oil | Ricinus Communis Seed Oil | Henry Lamotte | ad 100 |
| B | Soft-Tex D&C Red 6 Ba Lake C197712 | CI 15850 | Sun Chemical | 0.50 |
| | Soft-Tex C33-7775 Red Iron Oxide | CI 77491 | Sun Chemical | 0.60 |
| | Soft-Tex C47-A7753 Titanium Dioxide | Titanium Dioxide | Sun Chemical | 2.30 |
| | SunCroma FD&C Yellow 5 Al Lake C69-002 | CI 19140 | Sun Chemical | 0.25 |
| C | SunShine Fine White C80-3100 | Synthetic Fluorphlogopite, Titanium Dioxide | Sun Chemical | 4.20 |
| | Dermofeel MT 70 non GMO | Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | Evonik Dr. Straetmans | 0.05 |

This lipstick glides on effortlessly and delivers vivid color with a satin-soft finish. The contained KahlWax 2227 improves texture and builds a protective layer on the skin.

Procedure

Combine phase A ingredients and melt at 95 °C under stirring. Mix pigments of phase B with a part of phase A and grind by using a mill. Add phase C under stirring and cool to 85 °C. Fill into molds.



moisturizing long-lasting
 matte glossy